


20 mm x 26 mm x 12 mm Koyo NRB HK2012 Drawn Cup Needle Roller Bearings



Bearing No. HK2012

HK2012 Bearing 2D drawings and 3D CAD models

Size	20x26x12 mm
Bore Diameter	20 mm
Outer Diameter	26 mm
Width	12 mm
Fw	20 mm
D	26 mm
C	12 mm
r5 min.	1 mm
Weight	0.015 Kg
Basic dynamic load rating (C)	8.97 kN
Basic static load rating (C0)	12.5 kN
(Grease) Lubrication Speed	11000 r/min
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.019
EAN	0605790195235
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No



BEARING MANUFACTURING DE MEXICO,S.A.D...

Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Metric
Relubricatable	No
Thrust Bearing	No
Long Description	20MM Bore; 26MM Outside Diameter; 12MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; N
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	HK2012
Weight / LBS	0.033
Outside Diameter	1.024 Inch 26 Millimeter
Width	0.472 Inch 12 Millimeter
Bore	0.787 Inch 20 Millimeter
Bearing No.	HK2012
C3(min)	\
rs(min)	1
Cr	8.97
C0r	12.5



BEARING MANUFACTURING DE MEXICO,S.A.D...

Cu	1.90
Grease lub.	11000
Oil lub.	16000
(Refer.)Mass(kg)	0.015
Mounting inner ring	JR15x20x12