




# BEARING MANUFACTURING DE MEXICO,S.A.D...

## 1-7/8 in x 2-1/4 in x 1 in Koyo NRB J-3016 Drawn Cup Needle Roller Bearings



Bearing No. J-3016

J-3016 Bearing 2D drawings and 3D CAD models

Size	47.625x57.150x25.40 mm
Bore Diameter	47.625 mm
Outer Diameter	57.150 mm
Width	25.40 mm
Fw	47.625 mm
D	57.150 mm
C	25.40 mm
Weight	0.097 Kg
Basic dynamic load rating (C)	41.10 kN
Basic static load rating (C0)	76.06 kN
(Grease) Lubrication Speed	4400 r/min
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.097
EAN	0605790212581
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes



## BEARING MANUFACTURING DE MEXICO,S.A.D...

Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Inch
Relubricatable	No
Thrust Bearing	No
Long Description	1-7/8" Bore; 2-1/4" Outside Diameter; 1" Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Yes Retainer; Single Row of Rol
Other Features	2 Rib Outer Ring   Drawn Cup Bearing   Steel Cage
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Manufacturer Item Number	J-3016
Weight / LBS	0.213
Width	1 Inch   25.4 Millimeter
Outside Diameter	2.25 Inch   57.15 Millimeter
Bore	1.875 Inch   47.625 Millimeter
Bearing No.	J-3016
Y(max)	1.27
Cr	41.10
C0r	76.06
Cu	11.9
Grease lub.	4400



## BEARING MANUFACTURING DE MEXICO,S.A.D...

Oil lub.	6800
(Refer.) Mass(kg)	0.097
Mounting inner ring	-